

1200x1200_{mm}

MIGHTY SIZE





A REVOLUTIONARY DESIGN TO CREATE
GRAND AND UNIFORM SPACES

WE CREATE

Impressive

PRODUCT RANGE

1200
X
1200
mm

MIGHTY SIZE

A perfect size to fix at all the places, these enormous regular size tiles are made to get along with uneven and impartial spaces with utter smoothness.

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains





Wide range



5001

3 RANDOM




ATLANTIC WHITE

4 RANDOM





BIANCO DOLIMITI

3 RANDOM




GLORIOUS WHITE

3 RANDOM




IMPACT STATUARIO

4 RANDOM




COVELANO LASA

3 RANDOM



ALDO BEIGE

4 RANDOM



ALDO SPHERE (DECOR SERIES)

1 RANDOM



*Dark High Glossy Series


1200x
1200mm

HIGH GLOSSY FINISH


9mm thickness



ONYX SKY 5 RANDOM



ONYX ICE 2 RANDOM



FLOOR : ONYX ICE

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



ELIZA BEIGE 3 RANDOM



BERLIM BEIGE 4 RANDOM



DEVCI CREMA 4 RANDOM



DEVCI GREY 4 RANDOM



*Dark High Glossy Series



DYNA SUPREME 3 RANDOM



BRECCIA LAVA 2 RANDOM



BRECCIA BEIGE 2 RANDOM



*Dark High Glossy Series

1200x
1200mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




ARMANI BEIGE 2 RANDOM




*




ARMANI GOLD 2 RANDOM



*



FOREST BROWN 3 RANDOM




*




TITANIUM NATURAL 5 RANDOM




ARMANI GREY 2 RANDOM




*



ARMANI GRIS 2 RANDOM



TITANIUM BROWN 5 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
1200mm

HIGH GLOSSY FINISH


9mm thickness




LEVANTO LIGHT 6 RANDOM



*




LEVANTO NATURAL 6 RANDOM




*




LEVANTO BROWN 6 RANDOM



*



STOINIS NATURAL 3 RANDOM



*Dark High Glossy Series



FLOOR : STOINIS NATURAL

1200x
1200mm

HIGH GLOSSY FINISH


9mm thickness

*




TURKE LANA

2 RANDOM




*




CRISTAN STONE

2 RANDOM




*



AZUL CIELO

5 RANDOM



*Dark High Glossy Series



FLOOR & WALL : TURKE LANA

1200x
1200mm

RUSTIC MATT FINISH



9mm thickness



BASIL GRAFITO 4 RANDOM



SANDUNE CAFE 3 RANDOM



TUNA ROCK ICE 3 RANDOM



TUNA ROCK GREY 3 RANDOM



FLOOR : BASIL GRAFITO

1200x
1200mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range




CAPRON CREMA 6 RANDOM




CAPRON GREY 6 RANDOM



MILANO SILVER 5 RANDOM




MILANO GREY 5 RANDOM





MEXXO LIGHT 6 RANDOM




MEXXO SIENNA 6 RANDOM



RUBY QUARTZ SEAL 6 RANDOM



RUBY QUARTZ ASH 6 RANDOM



1200x
1200mm

RUSTIC MATT FINISH

9mm thickness



SENTILIA BROWN


2 RANDOM



1200x
1200mm



CARVING FINISH

9mm thickness




TERRAZZO

2 RANDOM



ROCKFORD NATURAL

2 RANDOM



AMMONITE BIANCO

3 RANDOM



AMMONITE NERO

3 RANDOM



1200x
1200mm

RICH SILK FINISH

9mm thickness



BRECCIA MARINO LATTE

4 RANDOM



BRECCIA MARINO NATURAL

4 RANDOM



BRECCIA MARINO ASH

4 RANDOM



WALL : BRECCIA MARINO ASH

TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	SLAB VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
03	1200x1200mm	9mm	2 pcs.	2.88 sq. mtr.	60 kg

