

1200x2400_{mm}

MIGHTY SIZE





ILLUMINATING SPACES WITH THE GRAND SIZE
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE

Colossal

PRODUCT RANGE

1200
X
2400
mm

MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions

Easier to lay


Resistant to chemical

Resistant to loads


Resistant to stains

Wide range

*




GALAXY STATUARIO (BOOK MATCH) BOOK MATCH A+B




*




GRONZA WHITE BOOK MATCH A+B



*




ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B



*



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



BROCKEN BRECIA (BOOK MATCH)

BOOK MATCH A+B



BRECCIA MONET

BOOK MATCH A+B




CHIFFON BEIGE

BOOK MATCH A+B



BETHANY BLUE

BOOK MATCH A+B




1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness


*



ALONZO BLUE



8 FACE BOOK MATCH

*



ELITE BLACK

BOOK MATCH A+B



*Book Match Series




FLOOR & WALL : ALONZO BLUE

1200x
2400mm



HIGH GLOSSY FINISH

9mm thickness



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range




STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE




STATUARIO AFYON 3 FACE CONTINUE



PACIFIC WHITE 4 FACE CONTINUE



EMBER WHITE 3 FACE CONTINUE




1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range




HOIST WHITE 3 FACE CONTINUE

GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE

IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE




1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range





BETEL WHITE 2 RANDOM

STATUARIO GOLD 3 RANDOM

ATLANTIC WHITE 2 RANDOM

SUMMER WHITE 4 RANDOM






WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

1200x
2400mm HIGH GLOSSY FINISH 9mm thickness



SUMMER WHITE BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : SUMMER WHITE

1200x
2400mm

HIGH GLOSSY FINISH


DECOR SERIES

9mm thickness



M 1001

1 RANDOM



*Dark High Glossy Series



WALL : M 1001

1200x
2400mm



HIGH GLOSSY FINISH

9mm thickness



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range




ALEX CALACATTA 3 RANDOM



ONYX LUXURY 3 RANDOM



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



REGAL NATURAL

3 RANDOM



REGAL BEIGE

3 RANDOM



ELIZA BEIGE

3 RANDOM



VICTORIA BEIGE

4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



TRAVENTINO CREMA

2 RANDOM



DYNA SUPREME

2 RANDOM



FLOOR : DYNA SUPREME

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



*





LAVANET BEIGE 3 RANDOM

BERLIM BEIGE 2 RANDOM

DEVCI CREMA 2 RANDOM

DEVCI GREY 2 RANDOM



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness

*



BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM



*Dark High Glossy Series




FLOOR : BRECCIA BEIGE

1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range




BRECCIA CAPRAIA 4 RANDOM




ARENA DUNE 2 RANDOM



PORTORO GOLD 2 RANDOM



PORTORO 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




SONATA WHITE

3 RANDOM



SONATA BRONZE

3 RANDOM



TITANIUM BROWN

3 RANDOM



TITANIUM NATURAL

3 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range




BIANCO LASA

2 RANDOM



LEVANTO BROWN

4 RANDOM




LEVANTO LIGHT

4 RANDOM



LEVANTO NATURAL

4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness




ARMANI BEIGE 2 RANDOM



*



ARMANI GOLD 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range




ARMANI GREY 2 RANDOM



*



ARMANI GRIS 2 RANDOM






WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE

1200x
2400mm

HIGH GLOSSY FINISH


9mm thickness

*




FOREST BROWN

2 RANDOM




*



TOPAZ BROWN

1 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

*



PATAGONIA

3 RANDOM




*



EXOTIC WHITE

2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness


*




TURKE LANA 1 RANDOM



*



CRISTAN STONE 2 RANDOM



*Dark High Glossy Series



Versatile solutions

Easier to lay


Resistant to chemical

Resistant to loads


Resistant to stains

Wide range

*



ICE BERG BLUE 3 RANDOM



ARISTONE CERUBE 2 FACE CONTINUE



*Dark High Glossy Series

1200x
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




TRAVENTINO BEIGE 1 RANDOM



*




SEMOND PAUL 2 RANDOM




*




TRIESTA NOIR 3 RANDOM



*



RAINBOW BROWN 2 RANDOM




1200x
2400mm


HIGH GLOSSY FINISH

9mm thickness


*




BLACK RIVER 4 RANDOM



*



AZUL CIELO 3 RANDOM




Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range


*




NERO MARQUINA 3 RANDOM



*



SAHARA BLACK 2 RANDOM





FLOOR : AZUL CIELO

1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



Versatile solutions
Easier to lay
Resistant to chemical
Resistant to loads
Resistant to stains
Wide range




SUMMER WHITE 4 RANDOM




REGAL NATURAL 3 RANDOM



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



RIZ CEDAR

2 RANDOM




RIZ SILVER

2 RANDOM




CAPRON CREMA

3 RANDOM



CAPRON GREY

3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



SENTILIA BROWN

1 RANDOM



DUST

4 RANDOM



MILANO SILVER

3 RANDOM



MILANO GREY

3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads



Resistant to stains





Wide range




CORTEX CEDAR

2 RANDOM



CORTEX AZURE

2 RANDOM



SANDUNE CAFE

1 RANDOM



1200x
2400mm

CARVING FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BURBERRY BEIGE

2 RANDOM




BURBERRY BROWN

2 RANDOM



BURBERRY GREY

2 RANDOM



1200x
2400mm CARVING FINISH 9mm thickness



STUCCO BEIGE 2 RANDOM



CORTEN BEIGE 2 RANDOM




FLOOR : STUCCO BEIGE



1200x
2400mm

CARVING FINISH


9mm thickness



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



LURENT BROWN 5 RANDOM



LURENT BLUE 5 RANDOM



1200x
2400mm

RICH SILK FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



BRECCIA MARINO LATTE

2 RANDOM



BRECCIA MARINO NATURAL

2 RANDOM



BRECCIA MARINO ASH

2 RANDOM



TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	SLAB VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg

